



GTO POWER 3100 5W40

Description

A universal, ester fortified, synthetic motor oil developed according the most recent technology and based on specially selected base oils with a high natural viscosity index. With the addition of a well-balanced choice of advanced additives the following properties are obtained:

- a high and very stable viscosity index
- a high resistance against shearing
- a fast cold start
- a safe lubrication film at very high temperatures
- reduced formation of combustion ashes
- a very good detergency and dispersion
- a very strong protection against wear, corrosion and foaming

Application

This is a universal, ester fortified, synthetic motor oil. This oil is specially developed for passenger car engines. Moreover this lubricant is very suitable for use in petrol and diesel engines, with or without turbo-charging

Performance Level

ACEA C3
API SN/CF
BMW Longlife-04
Fiat 9.55535-S2
Ford M2C917-A
GM dexos 2
MB 229.31/226.5
Porsche A40
Renault RN0700/RN0710
VW 505.00/505.01

Typicals

Density at 15 °C, kg/l	0,850
Viscosity -30 °C, mPa.s	4470
Viscosity 40 °C, mm ² /s	92,20
Viscosity 100 °C, mm ² /s	15,80
Viscosity Index	183
Flash Point COC, °C	243
Pour Point, °C	-42
Total Base Number, mgKOH/g	7,4
Sulphate Ash, %	0,78

24/10/2018

The data mentioned in this product information sheet are meant to enable the reader to orient himself about the properties and possible applications of our products. Although this overview is composed with all possible carefulness on the stated date, the composer does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, specially for critical applications, to make the final product-choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification. You can download a recent material safety data sheet of this product on our website.